



## DEZHOU CHEMTICS CHEMICAL CO., LTD

Calcium Hypochlorite70%

### CERTIFICATE OF ANALYSIS

|                      |                             |                        |                   |
|----------------------|-----------------------------|------------------------|-------------------|
| <b>NAME</b>          | <b>Calcium Hypochlorite</b> | <b>Sample Place</b>    | <b>Factory</b>    |
| <b>Sample Date</b>   | <b>2022-07-22</b>           | <b>Time</b>            | <b>15:00</b>      |
| <b>Batch No</b>      | <b>20220722</b>             | <b>Quantity</b>        | <b>24.435MT</b>   |
| <b>Test Standard</b> | <b>GB/T10666-2019</b>       | <b>Sampling Person</b> | <b>Bian Aijun</b> |

CAS No.: 7778-54-3

| No | Test Items         | Standards           | Test Results |
|----|--------------------|---------------------|--------------|
| 1  | Available Chlorine | 70% Min             | 70.31%       |
| 2  | Moisture           | 5%--10%             | 8%           |
| 3  | Chlorine Loss      | 8% max              | 5%           |
| 4  | Size (255um-1.4mm) | 90% min             | 96%          |
| 5  | Appearance         | Light gray granular | Conform      |
| 6  | Water insoluble    | 0.5% max            | 0.1%         |
| 7  | Sodium Chloride    |                     | 10%          |

Test conclusion: Wuhaiyan

Person in charge: Qiaomingqiang

Date: 2022-07-22