河北广兴化工有限公司 河北省邢台市新河县堂阳路 Hebei Guangxing Chemical Industry Co.,Ltd. Tangyang Road,Xinhe County ,Xingtai City, Hebei province , China



N,N'-Dimethyl urea

Section 1 - Chemical Product and Company Identification **1.1.Substance Name: N,N'-Dimethyl urea** Synonyms: 1,3-Dimethylharnstoff 1,3-Dimethylurea Dimethylharnstoff N,N'-Dimethylharnstoff N,N'-Dimethylurea **IUPAC NAMES:** 1,3-Dimethylurea 1,3-dimethylurea (DMU) N,N'-Dimethylurea Molecular formula: C3H8N2O EC number: 202-498-7 CAS number: 96-31-1 PRODUCT CODE: 2014003 1.2. Relevant identified uses of the substance and uses advised against

This substance is used in the following products: pH regulators and water treatment

products and laboratory chemicals.

This substance is used in the following areas: health services and scientific research

and development and pharmaceutical industry and agrochemicals.

Uses advised against: NONE

1.3. Details of the Supplier of the Safety Data Sheet

ST-310-2014

1/11

河北广兴化工有限公司 河北省邢台市新河县堂阳路 Hebei Guangxing Chemical Industry Co.,Ltd. Tangyang Road,Xinhe County ,Xingtai City, Hebei province , China



N,N'-Dimethyl urea

Company Identification:

Hebei Guangxing Chemical Industry Co., Ltd.

Tangyang Road, Xinhe County, Xingtai City, Hebei province, China

ZIP CODE: 055650

TEL.: 0086-0319-4918188

E-mail: 2660081625@qq.com

SDS No.: 140002-1

ISSUE DATE: 05 May., 2014

REVISED DATE: 05 May., 2016

UPDATA DATE: 05 May., 2018

1.4 EMERGENCY: COMPARTY: 0086-0319-4918188

Section 2 – Hazards Identification

2.1 Classification of the substance or mixture

Not Classified

Classification according to EU Directives 1999/45/EC Not Classified Rules of Classification according to China GB30000.20-2013 Not Classified 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 [CLP] None According to European Directive 1999/45/EC as amended. None According to China GB30000.20-2013 None 2.3 Other hazards : None 2.4 Additional information NONE.

河北广兴化工有限公司 河北省邢台市新河县堂阳路 Hebei Guangxing Chemical Industry Co.,Ltd. Tangyang Road,Xinhe County,Xingtai City, Hebei province, China



N,N'-Dimethyl urea

Section 3 - Composition, Information on Ingredients

3.1 Mixture

Component	CAS-No.	Distribution Ratio of Impuritie, %	Classification according to Regulation (EC) No 1278/2008 (CLP).	Classification according to 67/548/EEC
N,N'-Dimethylurea	96-31-1	95.0 Min	NO	NO
Methylurea	598-50-5	1.5 Max	NO	NO
Trimethylurea	632-14-4	1.0 Max	NO	NO
Biruet	108-19-0	0.6 Max	WARNING H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.	xi:irritant R36/37/38 S26 S36
Methylamine	74-89-5	0.1 Max	DANGER Physical Hazards [:] Flam.Gas H220 Flam.Gas.1 H332 Acute Tox.4 H318 Eye Dam. 1 H315 Skin Irrit. 2	R26 R27 R12 R10 S24 S25
Urea	57-13-6	0.8 Max	NO	NO
Water	7732-18-5	1.0 Min	NO	NO

河北广兴化工有限公司 河北省邢台市新河县堂阳路 Hebei Guangxing Chemical Industry Co.,Ltd. Tangyang Road,Xinhe County ,Xingtai City, Hebei province , China



N,N'-Dimethyl urea

Section 4 - First Aid Measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

NA

4.3 Indication of immediate medical attention and special treatment needed

No data available

Section 5 - Fire Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, dry chemical or carbon dioxide. Sand or foam extinguishing agents.

Do not apply a direct water stream on material. Use water spray to cool containers.

河北广兴化工有限公司 河北省邢台市新河县堂阳路 Hebei Guangxing Chemical Industry Co.,Ltd. Tangyang Road,Xinhe County ,Xingtai City, Hebei province , China



N,N'-Dimethyl urea

5.2 Special hazards arising from the substance or mixture None.

5.3 Precautions for fire-fighters

Wear self-contained breathing apparatus for fire fighting if necessary. Wear protective

clothing to prevent contact with skin and eyes.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation.

Evacuate personnel to safe areas.

Notify the police and fire brigade immediately.

If outside keep by standers upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorized personnel. Do not

attempt to take action without suitable protective clothing.

6.2 Environmental precautions

Do not let product enter drains, sewers or watercourses.

Turn leaking containers leak-side up to prevent the escape of liquid.

6.3 Methods and materials for containment and cleaning up

Transfer to a container for disposal or recovery. Soak up with inert absorbent material

and dispose of as hazardous waste. Transfer to a closable, labeled salvage container

for disposal by an appropriate method.

6.4 Reference to other sections

For disposal see section 13.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes.

河北广兴化工有限公司 河北省邢台市新河县堂阳路 Hebei Guangxing Chemical Industry Co.,Ltd. Tangyang Road,Xinhe County,Xingtai City, Hebei province, China



N,N'-Dimethyl urea

Normal measures for preventive fire protection.

7.2 Conditions for safe storage, including any incompatibilities Store at temperature $-20-80^{\circ}$ C.

Keep container tightly closed in a dry and ell-ventilated place.

Avoid deposition of dust.

Segregate from nitrites.

Tends to cake.

Protect against moisture.

Storage stability: Storage duration: 24 Months

7.3 Specific end use(s) NA

Section 8 - Exposure Controls, Personal Protection

8.1 Control parameters

Exposure Limits: None established

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure there is sufficient ventilation of the area.

Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of workday.

8.2.2 Personal protective equipment

Self-contained breathing apparatus must be available in case of emergency **Hand protection** Impermeable gloves must be worn.

Eye/face protection Tightly fitting safety goggles.

Skin protection

Handle with gloves. Gloves must be inspected prior to use.

Body Protection Complete suit protecting against chemicals .

Respiratory protection: Breathing protection if dusts are formed. Wear a protective

clothing. Avoid inhalation of dust.

8.2.3 Environmental exposure controls:

Avoid the substance into the water.

河北广兴化工有限公司 河北省邢台市新河县堂阳路 Hebei Guangxing Chemical Industry Co.,Ltd. Tangyang Road,Xinhe County ,Xingtai City, Hebei province , China



N,N'-Dimethyl urea

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

a) Form:flaky crystab) Odour:amine-likec) Colour:colorless td) pH value:6.5 - 9.5e) melting point(decomposition):102-106 °Cf) Boiling point:approx. 260g) Vapour pressure:6 mbar

j) Partitioning coefficient noctanol/water (log Pow):

flaky crystals amine-like colorless to white 6.5 - 9.5 102-106 °C approx. 260 °C 6 mbar 1.14 g/cm3 500 kg/m3

(100 g/l, 20 °C)

(1.013 bar) (115 °C) (20 °C)

Section 10 - Stability and Reactivity

0.783

10.1 Reactivity

h) Density:i) Bulk density:

Stable under normal conditions.

- 10.2 Chemical stability
 - Chemical Stable.
- 10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Mineral acids and mineral alkali

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Methylamine

河北广兴化工有限公司 河北省邢台市新河县堂阳路 Hebei Guangxing Chemical Industry Co.,Ltd. Tangyang Road,Xinhe County,Xingtai City, Hebei province, China



N,N'-Dimethyl urea

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Acute toxicity Demal: Inhalation: Skin corrosion/irritation Respiratory or skin sensitization Germ cell mutagenicity Reproductive toxicity Potential health effects 11.2 Additional Information NA LD50 4 000 mg/kg bw (rat) no data available no data available

Section 12 - Ecological Information

12.1 Toxicity

Long term

Short term	DIN 38412 Part 15 static
	LC50(96 hour): >10000mg/L(golden orfe)
Acute toxicity to aquatic invertebrates	EC50(48 hour): 500mg/L
	(Directive 84/449/EEC, C.2 Daphnia magna)

EC50(96 hour): >230mg/L (Pseudokirchnerella subcapitata) Scientifically unjustified

Incubation period 5 d: < 5 mg/g

Chemical oxygen demand (COD):

1,100 mg/g

Biochemical oxygen demand (BOD):

12.2 Persistence and degradability Biodegradation:

Test method: OECD 301 A (new version) (aerobic), activated sludge, domestic Method of analysis: DOC reduction

Degree of elimination: approx. 90 - 100 % (21 d)

Evaluation: Readily biodegradable (according to OECD criteria).

12.3 Bioaccumulative potential Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

河北广兴化工有限公司 河北省邢台市新河县堂阳路 Hebei Guangxing Chemical Industry Co.,Ltd. Tangyang Road,Xinhe County ,Xingtai City, Hebei province , China



N,N'-Dimethyl urea

12.4 Mobility in soil no data available

12.5 Results of PBT and vPvB assessment no data available

12.6 Other adverse effects

Toxicity to aquatic plants:

DIN 38412 Part 9 green algae/EC50 (72 h): > 500 mg/l

Toxicity to microorganisms:

DIN 38412 Part 8 bacterium/EC50 (17 h): > 10,000 mg/l

Other ecotoxicological advice:

Do not release untreated into natural waters.

Section 13 - Disposal Considerations

13.1 Product : Dispose of in accordance with local regulations.

13.2 Contaminated packaging: Uncleaned empties should be disposed of in the same manner as the contents.

Section 14 - Transport Information

14.1 UN-Number ADR/RID: - IMDG: - IATA: -14.2 UN proper shipping name ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods 14.3 Transport hazard class(es) ADR/RID: - IMDG: - IATA: -14.4 Packaging group ADR/RID: - IMDG: - IATA: -14.5 Environmental hazards ADR/RID: no IMDG Marine pollutant: no IATA: no 14.6 Special precautions for users No data available 14.7 Shipping Description: Non-Regulated Hazard Class: NA

河北广兴化工有限公司 河北省邢台市新河县堂阳路 Hebei Guangxing Chemical Industry Co.,Ltd. Tangyang Road, Xinhe County, Xingtai City, Hebei province, China



N,N'-Dimethyl urea

ID No.: NA PG: NA Labels: None

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
This safety datasheet complies with the requirements of Regulation (EC) No.				
1907/2006/ No.1272/2008				
This safety datasheet complies with the requirements of Regulation (CHI				
NA) GB30000.18-2013; GB30000.20-2013				
APPLICABLE LAWS AND REGULATIONS				
The occupational disease prevention law of the People's Republic of China	NA			
The catalog of occupational-disease-inductive factors classification:	NA			
The catalog of occupational disease:	NA			
HAZARDOUS CHEMICAL MATERIALS SAFETY MANGEMENT REGULATIONS				
The catalog of dangerous chemicals:	NA			
The dangerous chemicals of major hazard identification:	NA			
The list of the first batch of key supervision of dangerous chemicals:				
The environmental management measures of dangerous chemicals (trial):	NA			

THE REGULATIONS OF LABOUR PROTECTION IN THE WORKPLACES WHERE TOXIC SUBSTANCES ARE USED

The catalog of high toxic substances:

NA Chemicals import and toxic chemicals import and export environment management regulations for the first time NA

The catalog of China's strict limits on import and export of toxic chemicals 2012: NA Measures for the administration of new chemical substance environment

OTHER INTERNATIONAL REGULATIONS

Product ingredient list column names in the information below:

TSCA:	YES
DSL:	YES
NDSL:	YES
AICS:	YES
NZIoC:	YES

河北广兴化工有限公司 河北省邢台市新河县堂阳路 Hebei Guangxing Chemical Industry Co.,Ltd. Tangyang Road,Xinhe County ,Xingtai City, Hebei province, China



N,N'-Dimethyl urea

KECI:	YES	
PICCS:	YES	
IECSC:	YES	
15.2 Chemical Safety Assessment		

no data available

Section 16 - Additional Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide.

THE PRODUCT WHEN USED TOGETHER WITH OTHER SUBSTANCE, THE HARMFULNESS, TOXICITY AND CHEMICAL PROPERTIES VARY, AND DEPEND ON THE MANUFACTURING OR OTHER PROCESSES. THE USER SHOULD MEASURE THE DAMAGE AND INFORM THE OPERATIONS AND PROCESSING PEOPLE.

EFFECTIVE DATE: 06 Mar., 2018 UPDATA DATE: 05 May., 2020