



CERTIFICATE OF ANALYSIS

Product Name Mupirocin
Batch No.: 78-190604 Quantity:
Mfg / Exp Date: June 2019/ June 2021
Specification EP 9.0 Date: July 5, 2019

Test	Specification	Results
Appearance	White or almost white powder	almost white powder
Identification	Positive	Conforms
pH	3.5 - 4.0	3.7
Specific optical rotation	-17° - -21°	-19°
Related substances		
1. Impurity C	≤ 4.0 %	0.7 %
2. any other impurity	≤ 1.0 %	0.9 %
3. total impurity	≤ 6.0 %	3.2%
Water	Not more than 1.0 %	0.2%
Residual solvents		
Ethyl Acetate	Not more than 5000 ppm	Conforms
Heptane	Not more than 5000 ppm	Conforms
Acetone	Not more than 5000 ppm	Conforms
Assay		
(anhydrous substance)	93.0 % - 102.0 %	100.3%

Conclusion Conforms to the requirements of EP9.0

Analyst: Ying YanLin

Q.C. director: Lu Anzhen

电话 Tel: 0577-56962212 56962221 56962238

传真 Fax: 0577-56962223 邮编 postcode: 325025

E-mail: sales@ruibang.cn Http://www.ruibang.cn

地址: 中国浙江省温州经济技术开发区滨海十路578号
Add: No.578 Binhai Tenth Road, Economic and Technological
Development Zone, Wenzhou, Zhejiang Province, P.R.China