Report No.:SZF1712187A

Report Date: Dec.-18-2017

Page: 1 of 5

MSDS REPORT

PRODUCT NAME: DBE (DIBASIC ESTER)

MODEL: -

LOT NO.: ---

CUSTOMER NAME: Changle Yili Chemcial Co.,Ltd

.ong P. UNIT ADDRESS: Zhuliu Industrial Park, Lvle County, Shandong Province.

ZIP CODE: 262404

In no circomstances shall the company is responsibility extend beyond inspection, testing and reporting upon the samples actually drawn from the bulk and inspected tested and at the sole and exclusive responsibility of the Principal. This test report cannot be reproduced except in full.

Add: Building 1, NO.10 East Nanhuan Road , Suzhou, China Fax: +86-512-65769481

Report No.:SZF1712187A

Report Date: Dec.-18-2017

Page: 2 of 5

Preparation of Safety Data Sheet

Section 1-Chemical Product and Company Identification

Product Name: DBE (DIBASIC ESTER)

Company Identification: Changle Yili Chemcial Co., Ltd Add: Zhuliu Industrial Park, Lvle County, Shandong Province. Contact Person: Qiaohong Song Tel.: +86 536-8515289

Fax: +86 536-8515289

Section 2-Hazards Identification

2.1 Classification of the substance or mixture

Classification according to GHS: Flammable Liquids (Category 3), Narcotic effects(Category 3). Aspiration hazard(Category 1).Long term aquatic hazard(Category 2).

Signal word Warning

2.2 Label elements

Pictogram

Hazard statement(s)

Highly flammable liquid and vapour.

Admixture

Precautionary statement(s)

P280 : Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 : If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Section 3-Composition/Information on Ingredients

Pure□

Main Composition:

	Chemical Name	Composition(%)	CAS No.	EC No.
e t	Dimethyl glutarate	55-65	1119-40-0	214-277-2
	Dimethyl Adipate	9-25	627-93-0	211-020-6
	Dimethyl Succinate	15-25	106-65-0	203-419-9

In no circomstances shall the company is responsibility extend beyond inspection, testing and reporting upon the samples actually drawn from the bulk and inspected tested and at the sole and exclusive responsibility of the Principal. This test report cannot be reproduced except in full.

Add: Building 1, NO.10 East Nanhuan Road , Suzhou, China Fax: +86-512-65769481

Report No.:SZF1712187A

Report Date: Dec.-18-2017

Page: 3 of 5

Section 4-First Aid Measures

Skin touch: Remove contaminated clothing, wash with plenty of water, if allergic please seek medical treatment.

Eyes touch: Immediately filed eyelid, with a large number of mobile water or saline thoroughly washed at least 15 minutes. Get medical aid.

Inhalation: Rapidly from the scene to fresh air. Keep the airway patency. If breathing is difficult, give oxygen. If breathing stops, get medical aid.

Ingestion: drink plenty of water, induce vomiting. Get medical aid.

Section 5-Fire Fighting Measures

Danger characteristic: This product cannot be ignite.
Hazardous Combustion Products: Smoking.
Fire-Fighting method & media: Firefighters must wear filter respirators or isolated respirators, wearing

fire protective body suits, fire in the wind. Possible to move containers from the scene empty Department. Spray cooling containers to keep the fire until the end of fire. Media: Foam, dry powder, carbon dioxide

Section 6-Accidental Release Measures

Emergency Management:Isolated leakage pollution area, restricted access. Cut off the fire source. Proposed emergency handling personnel wearing a dust mask (full cover). To avoid dust, carefully sweep up, placed in the bag to move to a safe place. If a large number of leaks, with plastic cloth, canvas cover. Collect and recycle or transport to waste disposal sites.

Section 7-Handling and Storage

Handling: Provide adequate ventilation. The operator must go through specialized training, strict adherence to rules. Proposed operators wear masks, wear overalls, gloves. Away from fire, heat, workplace smoking. Avoid creating dust. Use explosion-proof ventilation systems and equipment. Avoid contact with oxidizing agents and strong acids. Corresponding with the variety and quantity of fire equipment and emergency equipment leakage.

Storage: Store in a cool, ventilated warehouse, stored separatelyoxidizing agent, acid.

Section 8-Exposure Controls, Personal Protection

Maximum admissible concentration: Not established. Monitoring Methods: None.

Engineering controls: Provide sufficient wind row.

In no circomstances shall the company is responsibility extend beyond inspection, testing and reporting upon the samples actually drawn from the bulk and inspected tested and at the sole and exclusive responsibility of the Principal. This test report cannot be reproduced except in full.

Add: Building 1, NO.10 East Nanhuan Road , Suzhou, China Fax: +86-512-65769481

Report No.:SZF1712187A

Report Date: Dec.-18-2017

Page: 4 of 5

Respiratory protection: Wear self absorption filter mask. Eyes protection: Wear protective goggles. Body protection: Wear working clothes. Hands protection: Wear gloves.

Other protection: No smoking, dining and drinking water in the workplace. Keep good habit of hygiene.

Section 9-Physical and Chemical Properties

Appearance: Liquid. Melting point: No data. Boiling point: No data. Relative density:1.06. PH: No data. Solubility: Insoluble in water. Flash point: 103°C.

Section 10-Stability and Reactivity

 Stability: Stable.

 Conditions to avoid: Heat.

 Hazardous polymerization: None.

 Decomposition products: Under normal circumstances, no harmful substances produced.

Section 11-Toxicological Information

Carcinogenicity:None. Acute toxicity:None. Sensitization: None. Mutagenicity: None.

Section 12-Ecological Information

Eco toxicity:No known significant effects or critical hazards. Biodegradable: Not applicable. Non biodegradable: Not applicable. Other harmful effects:No known significant effects or critical hazards.

Section 13-Disposal Considerations

Waste disposal methods: Prior to the disposal of state and local regulations should be referred to. Proposed landfill disposal. Prohibited down the dumping of water, no pollution of water.

In no circomstances shall the company is responsibility extend beyond inspection, testing and reporting upon the samples actually drawn from the bulk and inspected tested and at the sole and exclusive responsibility of the Principal. This test report cannot be reproduced except in full.

Add: Building 1, NO.10 East Nanhuan Road , Suzhou, China Fax: +86-512-65769481

Report No.:SZF1712187A

Report Date: Dec.-18-2017

Page: 5 of 5

Section 14- Transport Information

Number of dangerous goods: Not applicable. UN number: No data.

Packaging mark:



Packaging categories: No data.

Packaging method: Packing and transporting with plastic buckets.

Transport attentions: Transport before the inspection of packaging container is complete, seal, the transport process to ensure that the container does not leak, does not collapse, did not fall, no damage. Is strictly prohibited and mixed oxidant, acid and other mixed transport. Transport vehicles must be thoroughly cleaned and disinfected, otherwise can not load other articles. During transport to prevent insolation, rain, high temperature. Shipping, away from bedroom, kitchen, and isolation and engine room, fire and other parts.

Section 15-Regulatory Information

Regulatory information: Regulations on safety management of hazardous chemicals, the detailed rules for the implementation of regulations on safety management of hazardous chemicals, workplace safety regulations and other laws and regulations on the use of chemicals, safe use, production, storage, transportation, loading and unloading for dangerous chemicals have made the corresponding stipulation.

Section 16-Additional Information

Written description: The above information is based on the data of which we are aware and is believed to correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

In no circomstances shall the company is responsibility extend beyond inspection, testing and reporting upon the samples actually drawn from the bulk and inspected tested and at the sole and exclusive responsibility of the Principal. This test report cannot be reproduced except in full.

Add: Building 1, NO.10 East Nanhuan Road , Suzhou, China Fax: +86-512-65769481