



## DESIGN REPORT OF SAFETY DATA SHEET

No.: 220100320412888E

Date: Apr.1,2022

Name of the sample	2-Hydroxypropyl Acrylate		
Applicant	Chizhou Fangda Science and Technology Co., Ltd.		
Supplier	Chizhou Fangda Science and Technology Co., Ltd.		
Composition of the sample	2-Hydroxypropyl Acrylate: 97%		
Warranty of Design	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS) Ninth revised edition		
Design Result of SDS please see next page.			
Designer	孙越越	Approver	For and on behalf of <b>CCIC JIANGSU CO., LTD.</b> 中国检验认证集团江苏有限公司 王珍

4 授权签字人 Authorized Signature (s)

Notes: This SDS is valid before the implementation of the Tenth revised edition GHS.



2-Hydroxypropyl Acrylate

## SAFETY DATA SHEET

No.: 220100320412888E

Warranty of Design: GHS (Ninth Revised Edition)

SDS

Date: Apr.1,2022

### Section 1 Product and Company Identification

#### > Product Identifier

Product Name	2-Hydroxypropyl Acrylate
Synonyms	-
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

#### > Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant Identified Uses	Please consult manufacturer.
Uses Advised Against	Please consult manufacturer.

#### > Details of the Supplier of the Safety Data Sheet

Applicant Name	Chizhou Fangda Science and Technology Co., Ltd.
Application Address	Xiangyu Chemical Park, Dongzhi County, Anhui, China
Applicant Post Code	247260
Supplier Name	Chizhou Fangda Science and Technology Co., Ltd.
Supplier Address	Xiangyu Chemical Park, Dongzhi County, Anhui, China
Supplier Post Code	247260

### Section 2 Hazards Identification

Hazard class and label elements of the product according to GHS (the ninth revised edition):

#### > GHS Hazard Class

Acute Toxicity – Oral	Category 3
-----------------------	------------



2-Hydroxypropyl Acrylate

**SAFETY DATA SHEET**

Warranty of Design: GHS (Ninth Revised Edition)

SDS

No.: 220100320412888E

Date: Apr.1,2022

Acute Toxicity – Dermal	Category 3
Skin	
Corrosion/Irritation	Category 1
Sensitization – Skin	Category 1
Eye Damage/Irritation	Category 1
Acute Toxicity – Inhalation	Category 3

> GHS Label Elements

Pictogram



Signal Word

**Danger**

> Hazard Statements

H301	Toxic if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H331	Toxic if inhaled

> Precautionary Statements

Prevention

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264+P265	Wash hands and other contact area thoroughly after handling. Do not touch eyes.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Response

P316	Get emergency medical help immediately.
P317	Get medical help.
P320	Specific treatment is urgent (see measures on this label).
P321	Specific treatment (see measures on this label).
P330	Rinse mouth.
P363	Wash contaminated clothing before reuse.
P301+P316	IF SWALLOWED: Get emergency medical help.





2-Hydroxypropyl Acrylate

SAFETY DATA SHEET

No.: 220100320412888E

Warranty of Design: GHS (Ninth Revised Edition)

SDS

Date: Apr.1,2022

P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P333+P317	If skin irritation or rash occurs: Get medical help.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P361+P354	IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes.
P305+P354+P338	IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.

Section 3 Composition/Information on Ingredients

Component	CAS No.	EC No.	Concentration (weight percent, %)
2-Hydroxypropyl Acrylate	25584-83-2	247-118-0	97

Section 4 First Aid Measures

> Description of First Aid Measures

General Advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin Contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Protecting of First-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

> Most Important Symptoms and Effects, both Acute and Delayed

- 1 Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.



2-Hydroxypropyl Acrylate

## SAFETY DATA SHEET

No.: 220100320412888E

Warranty of Design: GHS (Ninth Revised Edition)

SDS

Date: Apr.1,2022

### > Indication of Any Immediate Medical Attention and Special Treatment Needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

## Section 5 Fire Fighting Measures

### > Extinguishing Media

**Suitable Extinguishing Media**

Dry chemical, carbon dioxide or alcohol-resistant foam.

**Unsuitable**

**Extinguishing Media**

Do not use a solid water stream as it may scatter or spread fire.

### > Specific Hazards Arising from the Substance or Mixture

- 1 May emit poisonous fumes on fire.
- 2 Fire may produce irritating, poisonous or corrosive gases.
- 3 Containers may explode when heated.
- 4 Fire exposed containers may vent contents through pressure relief valves.
- 5 May expansion or decompose explosively when heated or involved in fire.

### > Advice for Firefighters

- 1 As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

## Section 6 Accidental Release Measure

### > Personal Precautions, Protective Equipment and Emergency Procedures

- 1 Ensure adequate ventilation. Remove all sources of ignition.
- 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 3 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

### > Environmental Precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

### > Methods and Materials for Containment and Cleaning Up

- 1 Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.





2-Hydroxypropyl Acrylate

## SAFETY DATA SHEET

No.: 220100320412888E

Warranty of Design: GHS (Ninth Revised Edition)

SDS

Date: Apr.1,2022

- 2 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

### Section 7 Handling and Storage

#### > Precautions for Handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.
- 5 Take precautionary measures against static discharges.

#### > Precautions for Storage

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/ hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

### Section 8 Exposure Controls/Personal Protection

#### > Control Parameters

##### Occupational Exposure Limit Values

Component	Country/Region	Limit Value - Eight Hours		Limit Value - Short Term	
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
2-Hydroxypropyl Acrylate 25584-83-2	Poland	-	2.8	-	6

##### Biological Limit Values

No information available

##### Monitoring Methods

- 1 EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
- 2 GBZ/T 160 Determination of toxic substances in workplace air(Series effective standard)and GBZ/T 300 Determination of toxic substances in workplace air(Series standard).

#### > Engineering Controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.



2-Hydroxypropyl Acrylate

## SAFETY DATA SHEET

No.: 220100320412888E

Warranty of Design: GHS (Ninth Revised Edition)

SDS

Date: Apr.1,2022

4 Set up emergency exit and necessary risk-elimination area.

### > Personal Protection Equipment

Eye Protection	Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).
Hand Protection	Wear protective gloves (such as butyl rubber) , passing the tests according to EN 374(EU),US F739 or AS/NZS 2161.1 standard.
Respiratory protection	If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges.
Skin and Body Protection	Wear fire/flamm resistant/retardant clothing and antistatic boots.

### Section 9 Physical and Chemical Properties

Appearance: Colorless transparant liquid	Odor: No information available
Odor Threshold: No information available	pH: No information available
Melting Point/Freezing Point (°C): -23.4	Initial Boiling Point and Boiling Range (°C): 198.5
Flash Point (°C)( Closed Cup): 99	Evaporation Rate: No information available
Flammability: Not applicable	Upper/lower explosive limits[% (v/v)]: Upper limit: No information available; Lower limit: 1.8
Vapor Pressure (KPa): 0.01hPa (20°C)	Relative Vapour Density(Air=1): 4.5
Relative Density(Water=1): 1.05	Solubility: Miscible with water
n-Octanol/Water Partition Coefficient: 0.2	Auto-Ignition Temperature(°C): No information available
Decomposition Temperature (°C): No information available	Kinematic Viscosity (mm <sup>2</sup> /s): No information available
Particle characteristics: Not applicable	

### Section 10 Stability and Reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical Stability	Stable under proper operation and storage conditions.
Possibility of Hazardous Reactions	No information available
Conditions to Avoid	Incompatible materials, heat, flame and spark.
Incompatible Materials	No information available
Hazardous Decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.





2-Hydroxypropyl Acrylate

## SAFETY DATA SHEET

Warranty of Design: GHS (Ninth Revised  
Edition)

SDS

No.: 220100320412888E

Date: Apr.1,2022

### Section 11 Toxicological Information

#### > Acute Toxicity

Component	CAS No.	LD <sub>50</sub> (Oral)	LD <sub>50</sub> (Dermal)	LC <sub>50</sub> (Inhalation, 4h)
2-Hydroxypropyl Acrylate	25584-83-2	820mg/kg(Rat)	306mg/kg(Rabbit)	No information available

#### > Skin Corrosion/Irritation

Causes severe skin burns and eye damage(Category 1)

#### > Serious Eye Damage/Irritation

Causes serious eye damage(Category 1)

#### > Skin Sensitization

May cause an allergic skin reaction(Category 1)

#### > Respiratory Sensitization

No information available

#### > Germ Cell Mutagenicity

No information available

#### > Carcinogenicity

ID	CAS No.	Component	IARC	NTP
1	25584-83-2	2-Hydroxypropyl Acrylate	Not Listed	Not Listed

#### > Reproductive Toxicity

No information available

#### > Reproductive Toxicity (Additional)

No information available

#### > STOT-Single Exposure

No information available

#### > STOT-Repeated Exposure

No information available





2-Hydroxypropyl Acrylate

## SAFETY DATA SHEET

Warranty of Design: GHS (Ninth Revised Edition)

SDS

No.: 220100320412888E

Date: Apr.1,2022

### > Aspiration Hazard

No information available

## Section 12 Ecological Information

### > Acute Aquatic Toxicity

No information available

### > Chronic Aquatic Toxicity

No information available

### > Others

**Persistence and Degradability**

No information available

**Bioaccumulative Potential**

No information available

**Mobility in Soil**

No information available

**Results of PBT and vPvB Assessment**

2-Hydroxypropyl Acrylate does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

## Section 13 Disposal Considerations

**Waste Chemicals Contaminated Packaging Disposal Recommendations**

Before disposal should refer to the relevant national and local laws and regulation. Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible. Refer to Waste chemicals and Contaminated packaging.

## Section 14 Transport Information

**Transporting Label**



**Marine pollutant**

No

**UN Number**

2922

**UN Proper Shipping Name**

CORROSIVE LIQUID, TOXIC, N.O.S.

**Transport Hazard Class**

8



2-Hydroxypropyl Acrylate

## SAFETY DATA SHEET

Warranty of Design: GHS (Ninth Revised Edition)

SDS

No.: 220100320412888E

Date: Apr.1,2022

Transport Subsidiary 6.1  
Hazard Class  
Packing Group II

### Section 15 Regulatory Information

#### > International Chemical Inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
2-Hydroxypropyl Acrylate	√	√	√	√	√	√	√	√	√

[EINECS] European Inventory of Existing Commercial Chemical Substances.

[TSCA] United States Toxic Substances Control Act Inventory.

[DSL] Canadian Domestic Substances List.

[IECSC] China Inventory of Existing Chemical Substances.

[NZIoC] New Zealand Inventory of Chemicals.

[PICCS] Philippines Inventory of Chemicals and Chemical Substances.

[KECI] Existing and Evaluated Chemical Substances.

[AICS] Australia Inventory of Chemical Substances.

[ENCS] Existing And New Chemical Substances.

#### Note

"√" Indicates that the substance included in the regulations

"x" That no data or included in the regulations

### Section 16 Additional Information

Creation Date Apr.1,2022

Revision Date Apr.1,2022

Reason for Revision -

#### > Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 9th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.





2-Hydroxypropyl Acrylate

## SAFETY DATA SHEET

No.: 220100320412888E

Warranty of Design: GHS (Ninth Revised  
Edition)

SDS

Date: Apr.1,2022

### Terms of the Using of the Report

1. The report is issued by CCIC according to the information of the chemicals and the information of its shipping provided by the applicant (shipper or his agent).
2. According to the demand of this SDS, CCIC requires the applicant to provide true and exact sample and data.
3. Information from applicant is the key of this SDS, so CCIC will not respond for the wrong of applicant.
4. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
5. This report will be effective only after it is signed by the inspector, approver and stamped by CCIC.
6. CCIC guarantees the objectivity and fairness of this report, and carries out confidentiality obligations on business secrets such as business information, technical documents and so on.
7. The partly duplicating of this report is prohibited without the written approver of CCIC.
8. The report is invalid when anything of the following happens-illegal transfer, embezzlement, imposture, modification or tampering in any media form.



WWW.CHEMBALL.COM