

地址:安徽省池州市东至县香隅镇 Code: 247260 ADD:Xiangyu Town, ,Dongzhi County, Chizhou City,Anhui province, P.R.China

TEL:+86 18256607335 E-mail:global@ahhet.com

SAFETY DATA SHEET

Section 1 Identification

Product Name Dicyclohexylamine

CAS No 101-83-7

Synonyms

No information available

Recommended Use

Laboratory chemicals.

Uses advised against

Food, drug, pesticide or biocidal product use.

>Details of the Supplier of the Safety Data Sheet

Applicant Name Anhui Huertai Chemical Co.,Ltd.

Applicant Address Xiangyu Town, Dongzhi County, Anhui Province

Applicant Post Code 247260

 Applicant Telephone
 05665299018

 Applicant Fax
 05665299138

Applicant E-mail alice ting0820@163.com

Supplier Names Anhui Huertai Chemical Co.,Ltd.

Supplier Address Xiangyu Town, Dongzhi County, Anhui Province

Supplier Post Code 247260

 Supplier Telephone
 05665299018

 Supplier Fax
 05665299138

Supplier E-mail alice_ting0820@163.com

Emergency Phone Number 05665299119

Section 2 Hazards Identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 3
Acute oral toxicity Category 4



地址: 安徽省池州市东至县香隅镇 Code: 247260 ADD:Xiangyu Town, ,Dongzhi County, Chizhou City,Anhui province, P.R.China TEL:+86 18256607335 E-mail:global@ahhet.com

Acute dermal toxicity Category 3

Skin Corrosion/Irritation Category 1 B

Serious Eye Damage/Eye Irritation Category 1

Reproductive Toxicity Category 2

Specific target organ toxicity (single exposure) Category 3

Target Organs - Respiratory system.

Label Elements

Signal Word

Danger

Hazard Statements

Flammable liquid and vapor

Harmful if swallowed

Toxic in contact with skin

Causes severe skin burns and eye damage

May cause respiratory irritation

Suspected of damaging fertility



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Response



地址: 安徽省池州市东至县香隅镇 Code: 247260 ADD:Xiangyu Town, ,Dongzhi County, Chizhou City,Anhui province, P.R.China

TEL:+86 18256607335 E-mail:global@ahhet.com

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

Rinse mouth

Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

Section 3 Composition/Information on Ingredients

Component CAS No Weight %
Dicyclohexylamine 101-83-7 >93

Section 4 First Aid Measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

Inhalation



地址:安徽省池州市东至县香隅镇 Code: 247260 ADD:Xiangyu Town,,Dongzhi County,Chizhou City,Anhui province, P.R.China

TEL:+86 18256607335 E-mail:global@ahhet.com

If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.

Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Notes to Physician

Treat symptomatically

Section 5 Fire Fighting Measures

Suitable Extinguishing Media

Water mist may be used to cool closed containers. CO 2, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable Extinguishing Media

No information available

Flash Point 99°C

Method - CC (closed cup)

Autoignition Temperature No data available

Explosion Limits Upper No data available

Lower No data available

Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Nitrogen oxides (NOx). Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.



地址:安徽省池州市东至县香隅镇 Code: 247260 ADD:Xiangyu Town, ,Dongzhi County, Chizhou City,Anhui province, P.R.China

TEL:+86 18256607335 E-mail:global@ahhet.com

NFPA

Health **Flammability** Instability Physical hazards

3 3 0 N/A

> P

Section 6 Accidental Release Measures

Personal Precautions

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use sparkproof tools and explosion-proof equipment.

Section 7 Handing and Storage

Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame. Incompatible Materials. Strong oxidizing agents.

Section 8 Exposure Controls / Personal Protection

Exposure Guidelines

Component **ACGIH TLV OSHA PEL NIOSH IDLH** Mexico OEL (TWA) Cyclohexylamine TWA: 10 ppm (Vacated) TWA: 10 ppm TWA: 10 ppm TWA: 10 ppm TWA: 40 mg/m₃

(Vacated) TWA: 40 mg/m₃

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration



地址: 安徽省池州市东至县香隅镇 Code: 247260 ADD:Xiangyu Town, ,Dongzhi County, Chizhou City,Anhui province, P.R.China

TEL:+86 18256607335 E-mail:global@ahhet.com

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Tight sealing safety goggles. Face protection shield.

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

Section 9 Physical and Chemical Properties

Physical State Liquid
Appearance Colorless
Odor Fishy

Odor Threshold No information available

pH 11.5 100 g/L aq.sol

Melting Point/Range $-17 \,^{\circ}\text{C} \, / \, 1.4 \,^{\circ}\text{F}$

Boiling Point/Range 133 - 134 °C / 271.4 - 273.2 °F

Flash Point 99°C

Method - CC (closed cup)

Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressure0.0157mmHg at 25°C



地址:安徽省池州市东至县香隅镇 Code: 247260 ADD:Xiangyu Town, ,Dongzhi County, Chizhou City,Anhui province, P.R.China

TEL:+86 18256607335 E-mail:global@ahhet.com

Vapor Density No information available

Specific Gravity 0.912g/cm3 **Solubility** Soluble

Partition coefficient; n-octanol/water No data available

Autoignition Temperature No information available

Decomposition Temperature No information available

Viscosity 2.4 mPa.s @ 20°C

Molecular Formula C12H23N Molecular Weight 181.318

Section 10 Stability and Reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO₂), Nitrogen oxides (NOx), Thermal

decomposition can lead to release of irritating gases and vapors

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

Section 11 Toxicological information

Acute Toxicity

Product Information

Component Information

 Component
 LD50 Oral
 LD50 Dermal
 LC50 Inhalation

 Cyclohexylamine
 LD50 = 432 mg/kg (Rat)
 277 mg/kg (Rabbit)
 LC50 = 1000 ppm (Rat) 16 h

Toxicologically Synergistic

Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation

No information available

Sensitization No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component CAS No IARC NTP ACGIH OSHA Mexico



地址:安徽省池州市东至县香隅镇 Code: 247260 ADD:Xiangyu Town,,Dongzhi County,Chizhou City,Anhui province, P.R.China

TEL:+86 18256607335 E-mail:global@ahhet.com

Cyclohexylamine 108-91-8 Not listed Not listed Not listed Not listed

Mutagenic EffectsNo information availableReproductive EffectsNo information available.Developmental EffectsNo information available.TeratogenicityNo information available.STOT - single exposureRespiratory system

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and

delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting:

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

Section 12 Ecological Information

Ecotoxicity

Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Cyclohexylamine	EC50: = 20 mg/L, 96h	LC50: 44 - 90 mg/L, 96h	EC50 = 120 mg/L 30 min	Not listed
	(Pseudokirchneriella	(Oncorhynchus mykiss)		
	subcapitata)	LC50: = 470 mg/L, 96h		
	EC50: = 20 mg/L, 96h static	static		
	(Pseudokirchneriella	(Brachydanio rerio)		
	subcapitata)			

Persistence and Degradability Persistence is unlikely
Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility

Section 13 Disposal Considerations



地址: 安徽省池州市东至县香隅镇 Code: 247260 ADD:Xiangyu Town,,Dongzhi County,Chizhou City,Anhui province, P.R.China

TEL:+86 18256607335 E-mail:global@ahhet.com

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification

Section 14 Transport Information

Transporting Label



Marine pollutant No
UN Number 256

UN Proper Shipping Name DICYCLOHEXYLAMINE

Transport Hazard Class 8

Transport Subsidiary Hazard Class /

Packing Group III

Section 15 Regulatory Information

United States of America Inventory

Component	CAS No	TSCA	_	TSCA - EPA Regulatory Flags
Cyclohexylamine	108-91-8	x	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export

Not applicable

International Inventories



地址: 安徽省池州市东至县香隅镇 Code: 247260 ADD:Xiangyu Town, ,Dongzhi County, Chizhou City,Anhui province, P.R.China

TEL:+86 18256607335 E-mail:global@ahhet.com

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Dicyclohexylamine	101-83-7	X	-	202-980-7	X	X	X	X	X	X

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Not applicable

SARA 311/312 Hazard Categories

See section 2 for more information

CWA (Clean Water Act)

Not applicable

Clean Air Act

Not applicable

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability

Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Dicyclohexylamine	-	-

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Dicyclohexylamine	-	-	-	-	-

U.S. Department of Transportation

Reportable Quantity (RQ): N

DOT Marine Pollutant N

DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security



地址: 安徽省池州市东至县香隅镇 Code: 247260 ADD:Xiangyu Town, ,Dongzhi County, Chizhou City,Anhui province, P.R.China

TEL:+86 18256607335 E-mail:global@ahhet.com

This product contains the following DHS chemicals:

Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard
Dicyclohexylamine	Release STQs - 15000lb

Other International Regulations

Mexico - Grade

Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV	REACH (1907/2006) - Annex XVII	REACH Regulation (EC
	-	-	1907/2006) article 59 - Candidate
	Substances Subject to	Restrictions on Certain	List of Substances of Very High
	Authorization	Dangerous	Concern (SVHC)
		Substances	
Dicyclohexylamine	-	Use restricted. See item 75.	-
		(see link for restriction details)	

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic	Ozone Depletion	Restriction of
			Pollutant	Potential	Hazardous
					Substances (RoHS)
Dicyclohexylamine	108-91-8	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
		(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
		Qualifying	Qualifying		
		Quantities	Quantities		
		for Major Accident	for Safety Report		
		Notification	Requirements		
Dicyclohexylamine	101-83-7	Not applicable	Not applicable	Not applicable	Not applicable

Section 16 Additional Information

Creation Date JUN.24,2023
Revision Date JUn.24,2023

Reason for Revision

>Disclaimer



地址: 安徽省池州市东至县香隅镇 Code: 247260 ADD:Xiangyu Town,,Dongzhi County,Chizhou City,Anhui province, P.R.China

TEL:+86 18256607335 E-mail:global@ahhet.com

This Safety Data Sheet(SDS) was prepared according to UN GHS (the 9th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.