Effective Date: 2021/06/01 DG2148441E

SAFETY DATA SHEET

Isopropyl alcohol

Qingdao Highly Chemical New Materials Co.,Ltd

According to GHS (Eighth Revised Edition)



Section 1 **Product and Company Identification**

> Product Identifier

Product Name Isopropyl alcohol

Synonyms

CAS No. 67-63-0 EC No. 200-661-7

> Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant Identified

Molecular Formula

Uses

Please consult manufacturer.

Please consult manufacturer. **Uses Advised Against**

C₃H₈O

> Details of the Supplier of the Safety Data Sheet

Qingdao Highly Chemical New Materials Co.,Ltd **Applicant Name**

No.181 Gangwang Avenue, Poli Town, Huangdao District, Qingdao, Shandong Application Address

Province

Applicant Post Code 266000

Applicant Telephone +86-532-82871227 +86-532-82871781 **Applicant Fax**

Applicant E-mail hlj7007@highlychemshop.com

Supplier Name Qingdao Highly Chemical New Materials Co.,Ltd

No.181 Gangwang Avenue, Poli Town, Huangdao District, Qingdao, Shandong Supplier Address

Province

Supplier Post Code 266000

Supplier Telephone +86-532-82871227 **Supplier Fax** +86-532-82871781

hlj7007@highlychemshop.com Supplier E-mail

> Emergency Phone Number

Emergency Phone +86-532-82871227

Number

Hazards Identification Section 2

Hazard class and label elements of the product according to GHS (the eighth revised edition):

> GHS Hazard Class

Flammable Liquids Category 2

Eye Damage/Irritation

Specific Target Organ Toxicity (Single

Exposure)

Category 3

Category 2A

> GHS Label Elements

Pictogram



Signal Word Danger

> Hazard Statements

H225 Highly flammable liquid and vapour

H319 Causes serious eye irritation

H336 May cause drowsiness or dizziness

> Precautionary Statements

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash contact area thoroughly after handling.P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face

protection/hearing protection.

Response

P319 Get medical help if you feel unwell.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P337+P317 If eye irritation persists:Get medical help.

P370+P378 In case of fire: Use suitable extinguishing medium to extinguish.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

affected areas with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Storage

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

Section 3 Composition/Information on Ingredients

Component	Concentration (weight percent, %)	CAS No.	EC No.
Isopropyl alcohol	99.95	67-63-0	200-661-7

Section 4 First Aid Measures

> Description of First Aid Measures

Immediate medical attention is required. Show this safety data sheet (SDS) to **General Advice**

the doctor in attendance.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a **Eve Contact**

physician if feel uncomfortable.

Take off contaminated clothing and shoes immediately. Wash off with plenty of **Skin Contact**

water for at least 15 minutes and consult a physician if feel uncomfortable. Do not induce vomiting. Never give anything by mouth to an unconscious

Ingestion person. Call a physician or Poison Control Center immediately.

Move victim into fresh air. If breathing is difficult, give oxygen. Do not use

mouth to mouth resuscitation if victim ingested or inhaled the substance. If not **Inhalation**

> breathing, give artificial respiration and consult a physician immediately. Ensure that medical personnel are aware of the substance involved. Take

Protecting of First-aiders precautions to protect themselves and prevent spread of contamination.

> Most Important Symptoms and Effects, both Acute and Delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

> Indication of Any Immediate Medical Attention and Special Treatment Needed

Treat symptomatically.

2 Symptoms may be delayed.

Section 5 Fire Fighting Measures

> Extinguishing Media

Suitable Extinguishing

Media

Unsuitable

Extinguishing Media

Dry chemical, carbon dioxide or alcohol-resistant foam.

Do not use a solid water stream as it may scatter or spread fire.

> Specific Hazards Arising from the Substance or Mixture

Will form explosive mixtures with air.

- Fire exposed containers may vent contents through pressure relief valves thereby increasing fire 2 intensity and/ or vapour concentration.
- 3 Vapours may travel to source of ignition and flash back.
- 4 Liquid and vapour are flammable.
- 5 Containers may explode when heated.
- 6 Fire exposed containers may vent contents through pressure relief valves.
- 7 May expansion or decompose explosively when heated or involved in fire.

> Advice for Firefighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and 1 full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

Section 6 Accidental Release Measure

Personal Precautions, Protective Equipment and Emergency Procedures

- 1 Avoid breathing vapors and contacting with skin and eye.
- **2** Beware of vapours accumulating to form explosive concentrations.
- 3 Vapours can accumulate in low areas.
- 4 Emergency personnel wear positive pressure self-contained breathing apparatus. Wear protective and anti-static clothing. Wear chemical impermeable gloves.
- **5** Ensure adequate ventilation. Remove all sources of ignition.
- **6** Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 7 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

> Environmental Precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

> Methods and Materials for Containment and Cleaning Up

- 1 Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Section 7 Handling and Storage

> Precautions for Handling

- **1** Avoid inhalation of vapors.
- 2 Use only non-sparking tools.
- To prevent fire caused by electrostatic discharge steam, equipment on all metal parts should be grounded.
- 4 Use explosion proof equipment.
- 5 Handling is performed in a well ventilated place.
- **6** Wear suitable protective equipment.
- 7 Avoid contact with skin and eyes.
- **8** Keep away from heat/sparks/open flames/ hot surfaces.
- **9** Take precautionary measures against static discharges.

> Precautions for Storage

- **1** Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/ hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

Section 8 Exposure Controls/Personal Protection

> Control Parameters

Occupational Exposure Limit Values

Component	Country/Dogica	Limit Value	e - Eight Hours	Limit Value - Short Term		
	Country/Region	ppm	mg/m³	ppm	mg/m³	
Isopropyl alcohol 67-63-0	USA - OSHA	400	980	-	-	
	South Korea	200	480	400	980	
	Ireland	200	-	400	-	
	Germany (AGS)	200	500	400	1000	
	Denmark	200	490	400	980	
	Australia	400	983	500	1230	

Biological Limit Values

No information available

Monitoring Methods

1 EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

2 GBZ/T 160 Determination of toxic substances in workplace air(Series effective standard)and GBZ/T 300 Determination of toxic substances in workplace air(Series standard).

> Engineering Controls

1 Ensure adequate ventilation, especially in confined areas.

2 Ensure that eyewash stations and safety showers are close to the workstation location.

3 Use explosion-proof electrical/ventilating/lighting/equipment.

4 Set up emergency exit and necessary risk-elimination area.

> Personal Protection Equipment

Eye Protection Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).

Hand Protection Wear protective gloves (such as butyl rubber), passing the tests according to

EN 374(EU), US F739 or AS/NZS 2161.1 standard.

If exposure limits are exceeded or if irritation or other symptoms are

Respiratory protection experienced, use a full-face respirator with multi-purpose combination (US) or

type AXBEK (EN 14387) respirator cartridges.

Skin and Body

Protection

Wear fire/flame resistant/retardant clothing and antistatic boots.

Section 9 Physical and Chemical Properties

Appearance: colourless transparent liquid
Odor: No information available
PH: No information available

Melting Point/Freezing Point (°C): -90 Initial Boiling Point and Boiling Range (°C): 83

Flash Point (°C)(Closed Cup): 11.7 Evaporation Rate: No information available

Flammability: Not applicable

Upper/lower explosive limits[%(v/v)]: Upper limit:

12; Lower limit: 2

Vapor Pressure (KPa): 4.4 Relative Vapour Density(Air = 1): 2.1

Relative Density(Water=1): 0.78 **Solubility:** Miscible with water

n-Octanol/Water Partition Coefficient: 0.05 Auto-Ignition Temperature(°C): 456

Decomposition Temperature (°C): No information **Kinematic Viscosity (mm²/s):** No information

available available

Particle characteristics: Not applicable

Section 10 Stability and Reactivity

Reactivity Contact with incompatible substances can cause decomposition or other

chemical reactions.

Chemical Stability Stable under proper operation and storage conditions.

Possibility of In contact with oxidants causes severe reactions, and may cause a fire or

Hazardous Reactions explosion.

Conditions to Avoid Incompatible materials, heat, flame and spark.

Incompatible Materials Oxidants, alkali metals, alkaline earth metals and aluminum.

Hazardous

Under normal conditions of storage and use, hazardous decomposition

Decomposition

products should not be produced.

products

Section 11 Toxicological Information

> Acute Toxicity

Component	CAS No.	LD ₅₀ (Oral)	LD ₅₀ (Dermal)	LC ₅₀ (Inhalation, 4h)		
lsopropyl alcohol	67-63-0	5045mg/kg(Rat)	12800mg/kg(Rabbit)	No information available		

> Skin Corrosion/Irritation

No information available

> Serious Eye Damage/Irritation

Causes serious eye irritation(Category 2A)(Isopropyl alcohol)

> Skin Sensitization

No information available

> Respiratory Sensitization

No information available

> Germ Cell Mutagenicity

No information available

> Carcinogenicity

ID	CAS No.	Component	IARC	NTP	
1	67-63-0	Isopropyl alcohol	Category 3	Not Listed	

> Reproductive Toxicity

No information available

> Reproductive Toxicity (Additional)

No information available

> STOT-Single Exposure

May cause drowsiness or dizziness(Category 3)(Isopropyl alcohol)

> STOT-Repeated Exposure

No information available

> Aspiration Hazard

No information available

Section 12 Ecological Information

> Acute Aquatic Toxicity

Con	nponent	CAS No.	Fish	Crustaceans	Algae
	opropyl Icohol	67-63-0	LC ₅₀ : 9640mg/L (96h)(Fish)	EC ₅₀ : >1000mg/L (48h)	ErC ₅₀ : >1000mg/L (72h)

> Chronic Aquatic Toxicity

Compone	nt CAS No	Fish	Crustaceans	Algae
Isopropy alcohol	6/6/1	No information available	NOEC: >100mg/L	NOEC: 1000mg/L

> Others

Persistence and Degradability Bioaccumulative

No information available

Bioaccumulative Potential

No information available

Mobility in Soil

No information available

Results of PBT and vPvB Assessment Isopropyl alcohol does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Section 13 Disposal Considerations

Waste Chemicals

Before disposal should refer to the relevant national and local laws and

regulation. Recommend the use of incineration disposal.

Contaminated Packaging Disposal

Recommendations

Containers may still present chemical hazard when empty. Keep away from hot

and ignition source of fire. Return to supplier for recycling if possible.

Refer to Waste chemicals and Contaminated packaging.

Section 14 Transport Information

Transporting Label



Marine pollutant

None

UN Number 1219

UN Proper Shipping
Name
ISOPROPANOL(ISOPROPYL ALCOHOL)

Transport Hazard Class 3

Transport Subsidiary

Hazard Class

Packing Group Π

Section 15 Regulatory Information

> International Chemical Inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Isopropyl alcohol	√	√	√	√	√	√	√	√	√

[EINECS] European Inventory of Existing Commercial Chemical Substances.

[TSCA] United States Toxic Substances Control Act Inventory.

[DSL] Canadian Domestic Substances List.

[IECSC] China Inventory of Existing Chemical Substances.

[NZIoC] New Zealand Inventory of Chemicals.

[PICCS] Philippines Inventory of Chemicals and Chemical Substances.

[KECI] Existing and Evaluated Chemical Substances.[AICS] Australia Inventory of Chemical Substances.

[ENCS] Existing And New Chemical Substances.

Note

" $\sqrt{}$ " Indicates that the substance included in the regulations

"x" That no data or included in the regulations

Section 16 Additional Information

 Creation Date
 2021/06/01

 Revision Date
 2021/06/01

Reason for Revision -

> Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 8th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.