

MATERIAL SAFETY DATA SHEET

L-LACTIC ACID MSDS NO.001

SECTION 1- MATERIAL/COMPANY IDENTIFICATION

| L(S)-2-Hydroxy propionic acid |
|---|
| Musashino Chemical (China) Co., Ltd. |
| No.66 Chunfeng Rd. Economic & Technological Development |
| Zone of Yichun, Jiangxi. 336000 China |
| Safety Management Department |
| Fan Gui-Zeng |
| +86-795-3156266 |
| +86-795-3196986 |
| +86-795-3156282 |
| |

SECTION 2- HAZARDS IDENTIFICATION

| Symbols | Xi - Irritant |
|---------------|---|
| Skin contact | Irritant |
| Health hazard | Causes mild skin irritation, discomfort or rash after skin contact, |
| | and burns or ulcers after prolonged contact. |
| | Causes eye irritation and may cause respiratory tract irritation |

SECTION 3- COMPSITION/INFORMATION ON INGREDIENTS

| Chemical name | L(S)-2-Hydroxy propionic acid |
|------------------|--|
| Component | Lactic Acid aqueous solution (90%,88%,80%,50%) |
| Formula | CH₃CH(OH)COOH |
| Molecular Weight | 90.08 |
| CAS NO | 79-33-4 |

SECTION 4- FIRST AID MEASURES

| General advice | Show this safety data sheet to the doctor in attendance. |
|----------------|---|
| Ingestion | If swallowed, drink plenty of water or salt water. |
| | If in doubt, Call a physician immediately. |
| Eye contact | Immediately hold eyelids apart and flush eyes with plenty of |
| | water at least 15minutes. If irritation persists, call a physician. |
| Skin contact | Immediately remove all contaminated clothing, including |
| | footwear. Flush skin and hair with plenty of water or tepid water. |
| Inhalation | Immediately remove to fresh air. |
| | If breathing is difficult, give oxygen, call a physician. |

SECTION 5- FIRE FIGHTING MEASURES



MUSASHINO CHEMICAL (CHINA) CO., LTD. Add: No.66 Chunfeng Rd. Economic & Technological Development Zone of Yichun, Jiangxi. 336000 China Tel: +86-795-3156288 3156289 Fax: +86-795-3156287 http://www.china-musashino.com

| Flammability |
|---------------------|
| Fire extinguish |
| Extinguishing media |
| Specific hazards |
| |

Product is considered non-flammable.Remove a source of fire. Use a fire extinguisher.Dry Chemicals, Water, carbon dioxide (CO₂), foam.Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6- ACCIDENTAL RELEASE MEASURES

| Personal precautions | Wear chemical splash goggles, rubber boots and rubber |
|---------------------------|---|
| | gloves. Avoid contact with skin and eyes. |
| Environmental precautions | Prevent further leakage or spillage. |
| Methods for cleaning up | Neutralized the materials with sodium carbonate or sodium |
| | hydrogen carbonate. Pack an absorbent material into a |
| | properly labeled container after absorbing neutralized solution |
| | with sand or diatom earth. Clean up the leaked place with |
| | plenty of water |

SECTION 7- HANDLING AND STORAGE

| Handling | Wear personal protective equipment to prevent skin contacting |
|--------------------|--|
| | acid liquid. Keep the container well when handling |
| Storage | Keep container tightly closed. Keep in properly labeled |
| | containers. |
| | Store in areas shielded the light, and below room temperature. |
| | Keep away from strong bases storage areas. |
| Packaging material | Polyethylene plastic containers etc. |

SECTION 8- EXPOSURE CONTROLS/PERSONAL PROTECTION

| Personal protection equipment | Wear protective clothing. Safety glasses face shield and rubber |
|-------------------------------|---|
| | gloves. Breathing apparatus needed only when aerosol or mist |
| | is formed. |
| Hygiene measures | Set up safety shower, hands washer and eyes washer nearby |
| | handling the materials. Indicate the positions distinctly. When |
| | using, do not eat, drink or smoke. Remove and wash |
| | contaminated clothing before re-use. |

SECTION 9- PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | Colorless or yellowish syrupy liquid having an acid taste. |
|---------------------------|--|
| | Odorless or a slight characteristic odor. |
| Density(20℃) | 1.12~1.22g/ml (50~90% lactic acid solution) |
| PH | < 2 (25°C) |
| Boiling point | 125℃(90% solution) |
| Flash point | >112°C |
| Decomposition temperature | >200℃ |



MUSASHINO CHEMICAL (CHINA) CO., LTD. Add: No.66 Chunfeng Rd. Economic & Technological Development Zone of Yichun, Jiangxi. 336000 China Tel: +86-795-3156288 3156289 Fax: +86-795-3156287 http://www.china-musashino.com

| Solubility | Soluble in water, alcohol. |
|----------------|--|
| Viscosity | 5 \sim 60 mPa.s (25 $^{\circ}$ C) (50 \sim 90% Solution) |
| Corrosion test | On metal non corrosive (SUS-41 1.14 mm/year) |

SECTION 10- STABILITY AND REACTIVITY

| Stability | Stable at normal conditions. Hazardous polymerization does |
|---------------------|--|
| | not occur. |
| Conditions to avoid | Avoid temperatures above 200°C |
| Materials to avoid | Avoid oxidizing agents, alkaline substances. Exothermic |
| | reaction with alkaline substances. |

SECTION 11- TOXICOLOGICAL INFORMATION

| Acute toxicity | LD50 4875 mg/kg bw. (mouse, oral) (as 100% lactic acid) |
|-----------------|---|
| | LD50 3730 mg/kg bw. (rat, oral) (as 100% lactic acid) |
| Irritation | 500 mg/24 hr sev. (rabbit skin) |
| | 750 μg sev. (rabbit eye) |
| Carcinogenicity | Bacterial mutagenic test: Negative |
| Skin Contact | Irritant |
| | |

SECTION 12- ECOLOGICAL INFORMATION

| Solubility | Completely soluble, readily biodegradable does not hazardous polymerization. | occur |
|---|--|-------|
| Chemical Oxygen Demand | 0.9 g O ₂ /g | |
| (COD) | | |
| Biochemical Oxygen Demand (BOD) ₂₀ | 0.67 g O ₂ /g | |
| Bioaccumulation | None | |
| Ecotoxicity | EC50/48h/Daphnia = 240mg/l | |
| | LC50/48h/Fish = 320mg/l | |
| | EC50/Algae= 3500mg/l (neutral) | |

SECTION 13- DISPOSAL CONSIDERATIONS

| Waste from residues/unused | Burn up absorbent sand gradually in the opened incinerator |
|----------------------------|--|
| products | after absorbing the materials, or burn up the materials directly |
| | in the incinerator through atomizer. |
| Contaminated packaging | Decontaminate empty containers with water, dilute with water |
| | and flush to waste system. Recycle containers if possible. |
| Further information | Treatment, storage, transportation, and disposal must be in |
| | accordance with local regulations. |
| | |

SECTION 14- TRANSPORTATION INFORMATION

| Packing mark | Sticking properly on label, indicating material name, lot No., net |
|--------------|--|
|--------------|--|



MUSASHINO CHEMICAL (CHINA) CO., LTD. Add: No.66 Chunfeng Rd. Economic & Technological Development Zone of Yichun, Jiangxi. 336000 China Tel: +86-795-3156288 3156289 Fax: +86-795-3156287 http://www.china-musashino.com

Others

weight etc.

The materials transportation by vehicles, the sender serves deliverers with instructions for safe handling. In transportation confirm leak less of the container, and load the materials not to upset, fall and damage. Secure preventing the load from falling.

SECTION 15- REGULATORY INFORMATION

| US Regulations | US TSCA Inventory Status Y |
|-------------------|---|
| FDA | Substances that are generally considered safe |
| R-Phrases | R41-Risk of serious damage to eyes. |
| | R38-Irritation to skin. |
| S-Phrases | S24-Avoid contact with skin. |
| | S26-In case of contact with eyes, rinse immediately with plenty |
| | of water and seek medical advice. |
| | S37/39-Wear suitable gloves and eye/face protection. |
| China Regulations | The safe use of chemicals regulation workplace |
| | China: Food additives (Food safety law) |
| | China: Cosmetics raw materials (Drug law) |

SECTION 16- OTHER INFORMATION

| Revision Date | 2020/06/01 |
|---------------|-----------------------------|
| EEC-NO. | E270 |
| EC-NO. | 201-196-2 |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| | |