Effective Date: 2022/12/28 DG1610758E

# **SAFETY DATA SHEET**

# p-Phenylenediamine

**Quzhou Fangda Chemical Industry Co., Ltd.** 

According to GHS (Sixth RevisedEdition)



# **Section1** Product and CompanyIdentification

> ProductIdentifier

**Product Name** p-Phenylenediamine

Synonyms -

**CAS No.** 106-50-3 **EC No.** 203-404-7 **Molecular Formula** C6H8N2

> Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

**Relevant Identified** 

Uses Please consult manufacturer.

Uses Advised Against Please consult manufacturer.

> Details of the Supplier of the Safety Data Sheet

**Applicant Name** Quzhou Fangda Chemical Industry Co., Ltd.

Application Address NO.7 NANSHAN ROAD, QUZHOU, ZHEJIANG CHINA

**Applicant Post Code** 324000

Manufacturer Name
Quzhou Fangda Chemical Industry Co., Ltd.
Manufacturer Address
No.7 Nanshan Road,Quzhou,Zhejiang,China

**Manufacturer Post** 

Code

324000

## Section2 HazardsIdentification

Hazard class and label elements of the product according to GHS (the sixth revised edition):

> GHS HazardClass

Acute Toxicity – Oral Category 3

p-Phenylenediamine DG1610758E

Acute Toxicity – Category 3

Category 3

**Sensitization – Skin** Category 1 **Eye Damage/Irritation** Category 2A

Acute Toxicity – Cat

Category 3

**Hazardous To The** 

AquaticEnvironment
- Short-Term(Acute)

Category 1

Hazard

Hazardous To The Aquatic Environment – Long-Term

Category 1

(Chronic) Hazard

### > GHS LabelElements

**Pictogram** 



Signal Word Danger

### > HazardStatements

**H301** Toxic if swallowed

**H311** Toxic in contact with skin

**H317** May cause an allergic skin reaction

H319 Causes serious eye irritation

H331 Toxic if inhaled

**H400** Very toxic to aquatic life

**H410** Very toxic to aquatic life with long lasting effects

### > PrecautionaryStatements

**Prevention** 

**P261** Avoid breathing dust/fume/gas/mist/vapours/spray.

**P264** Wash ... thoroughly after handling.

**P270** Do not eat, drink or smoke when using this product.

**P271** Use only outdoors or in a well-ventilated area.

**P272** Contaminated work clothing should not be allowedout of theworkplace.

**P273** Avoid release to the environment.

**P280** Wear protective gloves/protective clothing/eye protection/face protection.

Response

P312 Call a POISON CENTER/doctor, if you feel unwell.

P330 Rinse mouth.P391 Collect spillage.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

p-Phenylenediamine DG1610758E

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Storage

P405 Store locked up.

**P403+P233** Store in a well-ventilated place. Keep container tightly closed.

**Disposal** 

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

# **Section3** Composition/Information onIngredients

ComponentConcentration (weight percent, %)CAS No.EC No.p-Phenylenediamine99.9106-50-3203-404-7

### Section4 First AidMeasures

## > Description of First Aid Measures

General Advice Immediate medical attention is required. Show this safety data sheet (SDS) to

the doctor in attendance.

**Eye Contact**Rinse thoroughly with plenty of water for at least 15 minutes and consult a

physician if feel uncomfortable.

Skin Contact

Take off contaminated clothing and shoes immediately. Wash off with plenty of

water for at least 15 minutes and consult a physician if feel uncomfortable. Do not induce vomiting. Never give anything by mouth to an unconscious

person. Call a physician or Poison Control Center immediately.

Move victim into fresh air. If breathing is difficult, give oxygen. Do not use

**Inhalation** mouth to mouth resuscitation if victim ingested or inhaled the substance. If not

breathing, give artificial respiration and consult a physician immediately.

**Protecting of**Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

## > Most Important Symptoms and Effects, both Acute and Delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

## > Indication of Any Immediate Medical Attention and Special TreatmentNeeded

Treat symptomatically.

2 Symptoms may be delayed.

# **Section5** Fire FightingMeasures

## > ExtinguishingMedia

**Suitable Extinguishing Media**Dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable

**Extinguishing Media**Do not use a solid water stream as it may scatter or spread fire.

## > Specific Hazards Arising from the Substance or Mixture

- 1 May emit poisonous fumes on fire.
- 2 Containers may explode when heated.
- **3** Fire exposed containers may vent contents through pressure relief valves.

p-Phenylenediamine DG1610758E

4 May expansion or decompose explosively when heated or involved in fire.

## > Advice for Firefighters

- As in any fire, wear self-contained breathingapparatus (MSHA/NIOSH approved orequivalent) and full protective gear.
- **2** Fight fire from a safe distance, with adequate cover.
- **3** Prevent fire extinguishing water from contaminating surface water or the ground water system.

## Section6 Accidental ReleaseMeasure

## > Personal Precautions, Protective Equipment and EmergencyProcedures

- 1 Ensure adequate ventilation. Remove all sources of ignition.
- 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 3 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

### > Environmental Precautions

- 1 Prevent further leakage or spillage if safe to do so.
- **2** Discharge into the environment must be avoided.

## > Methods and Materials for Containment and CleaningUp

- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

# Section7 Handling and Storage

## > Precautions for Handling

- 1 Handling is performed in a well ventilated place.
- **2** Wear suitable protective equipment.
- **3** Avoid contact with skin and eyes.
- **4** Keep away from heat/sparks/open flames/ hot surfaces.
- 5 Take precautionary measures against static discharges.

### > Precautions forStorage

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/ hot surfaces.
- **4** Store away from incompatible materials and foodstuff containers.

# **Section8** Exposure Controls/PersonalProtection

### > ControlParameters

Occupational Exposure Limit Values
------------------------------------

Component	Country/Region	Limit Value - Eight Hours	Limit Value - Short Term
-			

		ppm	mg/m³	ppm	mg/m³
	USA - OSHA	-	0.1	-	-
	South Korea	-	0.1	-	-
p-Phenylenedi amine 106-50-3	Ireland	-	0.1	-	-
	Germany (AGS)	-	0.1	-	0.2
	Denmark	-	0.1	-	0.2
	Australia	-	0.1	-	-

## **Biological Limit Values**

No information available

## **Monitoring Methods**

- EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
- **2** GBZ/T 160.1~GBZ/T 160.81-2004 Determination of toxic substances in workplace air (Series standard) .

## > EngineeringControls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- Set up emergency exit and necessary risk-elimination area.

## > Personal ProtectionEquipment

Body

**Eye Protection** Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).

Wear protective gloves (such as butyl rubber), passing the tests according to **Hand Protection** 

EN 374(EU), US F739 or AS/NZS 2161.1 standard.

If exposure limits are exceeded or if irritation or other symptoms are

Wear fire/flame resistant/retardant clothing and antistatic boots.

experienced, use a full-face respirator with multi-purpose combination (US) or **Respiratory protection** 

type AXBEK (EN 14387) respirator cartridges.

Skin and

**Protection** 

#### Section9 **Physical and ChemicalProperties**

**Appearance:** Light red solid particles Odor: No information available **Odor Threshold:** No information available **pH:** No information available

Melting Point/Freezing Point (°C): 139~147 Initial Boiling Point and Boiling Range (°C): 267

Flash Point (°C)( Closed Cup): Not applicable **Evaporation Rate:** Not applicable

**Upper/lower explosive limits[%(v/v)]:** Upper limit: Flammability: No information available

No information available; Lower limit: 1.5 Vapor Density (g/mL): Not applicable

Vapor Pressure (MPa): Not applicable Relative Density (g/cm<sup>3</sup>): 1.1 **Solubility:** Partly miscible with water

n-Octanol/Water Partition Coefficient: No Auto-Ignition Temperature(°C): 400 information available

Decomposition Temperature (°C): No information Kinematic Viscosity (mm²/s): Not applicable

available

Particle characteristics: No information available

#### Section10 Stability and Reactivity

**Reactivity** Contact with incompatible substances can cause decomposition or other

chemical reactions. .

**Chemical Stability** Stable under proper operation and storage conditions.

Possibility of

**Hazardous Reactions** 

No information available.

**Conditions to Avoid** Incompatible materials, heat, flame and spark.

Incompatible Materials No information available

Hazardous Decomposition

products

Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

# Section11 ToxicologicalInformation

## > AcuteToxicity

Component	onent CAS No. LD <sub>50</sub> (Oral)		LD <sub>50</sub> (Dermal)	LC <sub>50</sub> (Inhalation, 4h)	
p-Phenylenedi amine	106-50-3	80mg/kg(Rat)	No information available	0.92.mg/L(Rat)	

### > SkinCorrosion/Irritation

No information available

## > Serious EyeDamage/Irritation

Causes serious eye irritation(Category 2A)(p-Phenylenediamine)

### > SkinSensitization

May cause an allergic skin reaction(Category 1)(p-Phenylenediamine)

## > RespiratorySensitization

No information available

# > Germ CellMutagenicity

No information available

## > Carcinogenicity

ID	CAS No.	Component	IARC	NTP	
1	106-50-3	p-Phenylenediamine	Category 3	Not Listed	

### > ReproductiveToxicity

No information available

### > Reproductive Toxicity(Additional)

No information available

## > STOT-SingleExposure

No information available

p-Phenylenediamine DG1610758E

## > STOT-RepeatedExposure

No informationavailable

### > AspirationHazard

No informationavailable

#### Section12 **EcologicalInformation**

## > Acute AquaticToxicity

Component	CAS No.	Fish	Crustaceans	Algae
p-Phenylenedia mine	106-50-3	LC <sub>50</sub> : 0.066mg/L (96h)(Fish)	EC <sub>50</sub> : 0.33mg/L (48h)	ErC <sub>50</sub> : 0.18mg/L (72h)

## > Chronic AquaticToxicity

Component	CAS No.	Fish	Crustaceans	Algae	
p-Phenylenedia mine	106-50-3	No information available	NOEC: 0.043mg/L	NOEC: 0.01mg/L	

### > Others

**Persistence and Degradability Bioaccumulative** 

**Potential** 

**Mobility in Soil Results of PBT and vPvB** Assessment

No information available

No information available

No information available

p-Phenylenediamine does not meet the criteria for PBT and vPvB according to

Regulation (EC) No 1907/2006, annex XIII.

#### **DisposalConsiderations** Section13

**Waste Chemicals Contaminated Packaging** Disposal Recommendations If medical advice is needed, have product container or label at hand.

Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.

Refer to section 13.1 and 13.2.

#### Section14 **TransportInformation**

**Transporting Label** 



DG1610758E p-Phenylenediamine

### Marine pollutant



**UN Number** 1673

**UN Proper Shipping** 

PHENYLENEDIAMINES (p-)

**Transport Hazard Class** 

6.1

**Transport Subsidiary** 

None

**Hazard Class** 

Name

**Packing Group** 

Ш

#### Section 15 RegulatoryInformation

## > International ChemicalInventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
p-Phenylenediami ne	√	√	√	√	√	√	√	√	√

[EINECS] European Inventory of Existing Commercial Chemical Substances.

[TSCA] United States Toxic Substances Control ActInventory.

Canadian Domestic SubstancesList. [DSL]

[ IECSC ] China Inventory of Existing Chemical Substances.

[ NZIoC ] New Zealand Inventory of Chemicals.

[ PICCS ] Philippines Inventory of Chemicals and Chemical Substances.

Existing and Evaluated ChemicalSubstances. [KECI] [AICS] Australia Inventory of Chemical Substances. [ENCS] Existing And New Chemical Substances.

#### Section16 **AdditionalInformation**

**Creation Date** 2022/12/28 **Revision Date** 2022/12/28

### > Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 6th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.