







DESIGN REPORT OF SAFETY DATA SHEET

No.: 220100320412888E

Date: Apr.1,2022

			, 片 川 ,			
Name of the sample	2-Hydroxypropyl Acrylate					
Applicant	Chizhou Fangda Science and Technology Co., Ltd. 检验检测专用章 3201					
Supplier	Chizhou Fangda Science and Technology Co., Ltd.					
Composition of the sample	2-Hydroxypropyl Acrylate: 97%					
Warranty of Design	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS) Ninth revised edition					
Design Result of SDS please see next page.						
Designer	孙哲哲	Approver	For and on behalf of CCIC JIANGSU CO., LTD. 中国检验认证集团江苏有限公司			
			A 授权签字人 Authorized Signature (s)			

Notes: This SDS is valid before the implementation of the Tenth revised edition GHS.

No the second





SAFETY DATA SHEET

No.: 220100320412888E

Warranty of Design: GHS (Ninth Revised

Edition)

SDS Date: Apr.1,2022

Section 1 Product and Company Identification

> Product Identifier

Product Name

2-Hydroxypropyl Acrylate

Synonyms

.

CAS No.

Not applicable

EC No.

Not applicable

Molecular Formula

Not applicable

> Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant Identified

Uses

Please consult manufacturer.

Uses Advised Against

Please consult manufacturer.

> Details of the Supplier of the Safety Data Sheet

Applicant Name

Chizhou Fangda Science and Technology Co., Ltd.

Application Address

Xiangyu Chemical Park, Dongzhi County, Anhui, China

Applicant Post Code

247260

Supplier Name

Chizhou Fangda Science and Technology Co., Ltd.

Supplier Address

Xiangyu Chemical Park, Dongzhi County, Anhui, China

Supplier Post Code

247260

Section 2 Hazards Identification

Hazard class and label elements of the product according to GHS (the ninth revised edition):

> GHS Hazard Class

Acute Toxicity - Oral

Category 3

网址: www.ccicjs.com

Page 2 of 11

公司: 中国检验认证集团江苏有限公司

电话 (Tel): +86-519-83277160

地址: 中国.常州市天宁区脊洋北路 47 号

Add: 47 Qingyang North Road, Tianning District, Changzhou, China





SAFETY DATA SHEET

No.: 220100320412888E

Warranty of Design: GHS (Ninth Revised

Edition)

SDS

Date: Apr.1,2022

Acute Toxicity - Dermal Category 3

Skin

Corrosion/Irritation

Category 1

Sensitization – Skin

Category 1

Eye Damage/Irritation

Category 1

Acute Toxicity – Inhalation

Category 3

> GHS Label Elements

Pictogram



Signal Word

Danger

> Hazard Statements

H301 Toxic if swallowed

H311 Toxic in contact with skin

H314 Causes severe skin burns and eye damage

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H331 Toxic if inhaled

> Precautionary Statements

Prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264+P265 Wash hands and other contact area thoroughly after handling. Do not touch eyes.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

Response

P316 Get emergency medical help immediately.

P317 Get medical help.

P320 Specific treatment is urgent (see measures on this label).

P321 Specific treatment (see measures on this label).

P330 Rinse mouth.

P363 Wash contaminated clothing before reuse.
P301+P316 IF SWALLOWED:Get emergency medical help.

网址: www.ccicjs.com

Page 3 of 11

公司: 中国检验认证集团江苏有限公司 电话 (Tel): +86-519-83277160 地址:中国.常州市天宁区青洋北路 47号

Add: 47 Qingyang North Road, Tianning District, Changzhou, China





SAFETY DATA SHEET

No.: 220100320412888E

Warranty of Design: GHS (Ninth Revised

Edition)

SDS

Date: Apr.1,2022

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P333+P317 If skin irritation or rash occurs:Get medical help.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P301+P330+P331 IF SWALLOWED:Rinse mouth.Do NOT induce vomiting.

P302+P361+P354

IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with

water for several minutes.

P305+P354+P338 IF IN EYES:Immediately rinse with water for several minutes.Remove contact

lenses, if present and easy to do. Continue rinsing.

Storage

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/ international

regulations.

Section 3 Composition/Information on Ingredients

Component	CAS No.	EC No.	Concentration (weight percent, %)
2-Hydroxypropyl Acrylate	25584-83-2	247-118-0	97

Section 4 First Aid Measures

> Description of First Aid Measures

Inhalation

电话 (Tel): +86-519-83277160

General Advice Immediate medical attention is required. Show this safety data sheet (SDS) to the

doctor in attendance.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if

feel uncomfortable.

Skin Contact

Take off contaminated clothing and shoes immediately. Wash off with plenty of water

for at least 15 minutes and consult a physician if feel uncomfortable.

Ingestion Do not induce vomiting. Never give anything by mouth to an unconscious person. Call

a physician or Poison Control Center immediately.

Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to

邮编 (P.C.): 213000

mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give

artificial respiration and consult a physician immediately.

Protecting of Ensure that medical personnel are aware of the substance involved. Take precautions

First-aiders to protect themselves and prevent spread of contamination.

> Most Important Symptoms and Effects, both Acute and Delayed

网址: www.ccicjs.com

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Page 4 of 11

公司:中国检验认证集团江苏有限公司 地址:中国.常州市天宁区青洋北路 47 号 Add: 47 Qingyang North Road, Tianning District, Changzhou, China





SAFETY DATA SHEET

No.: 220100320412888E

Warranty of Design: GHS (Ninth Revised

Edition)

SDS

Date: Apr.1,2022

> Indication of Any Immediate Medical Attention and Special Treatment Needed

- Treat symptomatically.
- 2 Symptoms may be delayed.

Section 5 Fire Fighting Measures

> Extinguishing Media

Suitable Extinguishing

ng

Dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable

Media

Extinguishing Media

Do not use a solid water stream as it may scatter or spread fire.

> Specific Hazards Arising from the Substance or Mixture

- 1 May emit poisonous fumes on fire.
- 2 Fire may produce irritating, poisonous or corrosive gases.
- 3 Containers may explode when heated.
- 4 Fire exposed containers may vent contents through pressure relief valves.
- 5 May expansion or decompose explosively when heated or involved in fire.

> Advice for Firefighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

Section 6 Accidental Release Measure

> Personal Precautions, Protective Equipment and Emergency Procedures

- 1 Ensure adequate ventilation. Remove all sources of ignition.
- 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 3 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

> Environmental Precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

> Methods and Materials for Containment and Cleaning Up

Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.

Page 5 of 11





SAFETY DATA SHEET

No.: 220100320412888E

Warranty of Design: GHS (Ninth Revised

Edition)

SDS Date: Apr.1,2022

- Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Section 7 Handling and Storage

> Precautions for Handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.
- 5 Take precautionary measures against static discharges.

> Precautions for Storage

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/ hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

Section 8 Exposure Controls/Personal Protection

> Control Parameters

Occupational Exposure Limit Values

Component	Country/Dogion	Limit Value	- Eight Hours	Limit Value - Short Term		
Component	Country/Region	ppm	mg/m³	ppm	mg/m³	
2-Hydroxypropyl Acrylate 25584-83-2	Poland	-	2.8	-	6	

Biological Limit Values

No information available

Monitoring Methods

- EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
- 2 GBZ/T 160 Determination of toxic substances in workplace air(Series effective standard)and GBZ/T 300 Determination of toxic substances in workplace air(Series standard).

> Engineering Controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.

Page 6 of 11

公司:中国检验认证集团江苏有限公司 电话 (Tel): +86-519-83277160 地址:中国.常州市天宁区青洋北路 47号

网址: www.ccicjs.com

Add: 47 Qingyang North Road, Tianning District, Changzhou, China





SAFETY DATA SHEET

No.: 220100320412888F

Warranty of Design: GHS (Ninth Revised

Edition)

SDS Date: Apr.1,2022

Set up emergency exit and necessary risk-elimination area.

> Personal Protection Equipment

Eye Protection Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).

Wear protective gloves (such as butyl rubber), passing the tests according to EN **Hand Protection**

374(EU), US F739 or AS/NZS 2161.1 standard.

If exposure limits are exceeded or if irritation or other symptoms are experienced, use

Respiratory protection a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387)

respirator cartridges.

Skin and Body

Protection

Wear fire/flame resistant/retardant clothing and antistatic boots.

Section 9 **Physical and Chemical Properties**

Appearance: Colorless transparant liquid Odor: No information available Odor Threshold: No information available pH: No information available

Melting Point/Freezing Point (°C): -23.4 Initial Boiling Point and Boiling Range (°C): 198.5

Flash Point (°C)(Closed Cup): 99

Vapor Pressure (KPa): 0.01hPa (20°C)

Relative Density(Water=1): 1.05

Flammability: Not applicable

n-Octanol/Water Partition Coefficient: 0.2

Decomposition Temperature (°C): No information

available

Particle characteristics: Not applicable

Evaporation Rate: No information available

Upper/lower explosive limits[%(v/v)]: Upper limit: No

information available; Lower limit: 1.8 Relative Vapour Density(Air=1): 4.5

Solubility: Miscible with water

Auto-Ignition Temperature(°C): No information available

Kinematic Viscosity (mm²/s): No information available

Section 10 **Stability and Reactivity**

Reactivity Contact with incompatible substances can cause decomposition or other chemical

reactions.

Chemical Stability Stable under proper operation and storage conditions.

Possibility of Hazardous

No information available Reactions

Conditions to Avoid

Incompatible materials, heat, flame and spark.

Incompatible Materials

No information available

Hazardous

Under normal conditions of storage and use, hazardous decomposition products

邮编 (P.C.): 213000

Decomposition products should not be produced.

Page 7 of 11

公司: 中国检验认证集团江苏有限公司 地址:中国.常州市天宁区青洋北路 47号 Add: 47 Qingyang North Road, Tianning District, Changzhou, China

电话 (Tel): +86-519-83277160

网址: www.ccicjs.com





SAFETY DATA SHEET

No.: 220100320412888E

Warranty of Design: GHS (Ninth Revised

Edition)

SDS

Date: Apr.1,2022

Section 11 **Toxicological Information**

> Acute Toxicity

Component	CAS No.	LD ₅₀ (Oral)	LD ₅₀ (Dermal)	LC ₅₀ (Inhalation, 4h)	
2-Hydroxypropyl Acrylate	25584-83-2	820mg/kg(Rat)	306mg/kg(Rabbit)	No information available	

> Skin Corrosion/Irritation

Causes severe skin burns and eye damage(Category 1)

> Serious Eye Damage/Irritation

Causes serious eye damage(Category 1)

> Skin Sensitization

May cause an allergic skin reaction(Category 1)

> Respiratory Sensitization

No information available

> Germ Cell Mutagenicity

No information available

> Carcinogenicity

ID	CAS No.	Component	IARC	NTP
1	25584-83-2	2-Hydroxypropyl Acrylate	Not Listed	Not Listed

> Reproductive Toxicity

No information available

> Reproductive Toxicity (Additional)

No information available

> STOT-Single Exposure

No information available

> STOT-Repeated Exposure

No information available

Page 8 of 11

公司: 中国检验认证集团江苏有限公司 电话 (Tel): +86-519-83277160

地址:中国.常州市天宁区青洋北路 47 号

网址: www.ccicjs.com

邮编 (P.C.): 213000

Add: 47 Qingyang North Road, Tianning District, Changzhou, China





SAFETY DATA SHEET

No.: 220100320412888E

Warranty of Design: GHS (Ninth Revised Edition)

SDS Date: Apr.1,2022

> Aspiration Hazard

No information available

Section 12 Ecological Information

> Acute Aquatic Toxicity

No information available

> Chronic Aquatic Toxicity

No information available

> Others

Persistence and Degradability

Bioaccumulative

Potential

Mobility in Soil

Results of PBT and vPvB Assessment No information available

No information available

No information available

2-Hydroxypropyl Acrylate does not meet the criteria for PBT and vPvB according to

Regulation (EC) No 1907/2006, annex XIII.

Section 13 Disposal Considerations

Waste Chemicals Contaminated Packaging Disposal

Recommendations

Before disposal should refer to the relevant national and local laws and regulation. Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.

Refer to Waste chemicals and Contaminated packaging.

Section 14 Transport Information

Transporting Label



No

2922

Marine pollutant

UN Number

UN Proper Shipping

Name

CORROSIVE LIQUID, TOXIC, N.O.S.

Transport Hazard Class

Page 9 of 11

公司:中国检验认证集团江苏有限公司 电话 (Tel): +86-519-83277160 地址: 中国.常州市天宁区青洋北路 47 号

网址: www.ccicjs.com

Add: 47 Qingyang North Road, Tianning District, Changzhou, China

邮编 (P.C.): 213000

200. 2.

4





SAFETY DATA SHEET

No.: 220100320412888E

Warranty of Design: GHS (Ninth Revised

Edition)

SDS

Date: Apr.1,2022

Transport Subsidiary

Hazard Class

6.1

Packing Group

П

Section 15 Regulatory Information

> International Chemical Inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
2-Hydroxypropyl Acrylate	√	√	V	√	√	V	V	V	√

[EINECS] European Inventory of Existing Commercial Chemical Substances.

[TSCA] United States Toxic Substances Control Act Inventory.

[DSL] Canadian Domestic Substances List.

[IECSC] China Inventory of Existing Chemical Substances.

[NZIoC] New Zealand Inventory of Chemicals.

[PICCS] Philippines Inventory of Chemicals and Chemical Substances.

[KECI] Existing and Evaluated Chemical Substances.[AICS] Australia Inventory of Chemical Substances.[ENCS] Existing And New Chemical Substances.

Note

" $\sqrt{}$ " Indicates that the substance included in the regulations

"x" That no data or included in the regulations

Section 16 Additional Information

Creation Date Apr.1,2022 Revision Date Apr.1,2022

Reason for Revision

> Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 9th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

Page 10 of 11

公司:中国检验认证集团江苏有限公司 电话 (Tel): +86-519-83277160 地址:中国.常州市天宁区青洋北路 47号

Add: 47 Qingyang North Road, Tianning District, Changzhou, China

网址: www.ccicjs.com





SAFETY DATA SHEET

No.: 220100320412888E

Warranty of Design: GHS (Ninth Revised

Edition)

SDS Date: Apr.1,2022

Terms of the Using of the Report

1. The report is issued by CCIC according to the information of the chemicals and the information of the shipping provided by the applicant (shipper or his agent).

snipping provided by the applicant (snipper or his agent).

2. According to the demand of this SDS, CCIC requires the applicant to provide the and exact sample and data.

3201

- 3. Information from applicant is the key of this SDS, so CCIC will not respond for the wrong of applicant.
- 4. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
- 5. This report will be effective only after it is signed by the inspection approver and stamped by CCIC.
- 6. CCIC guarantees the objectivity and fairness of this report, and carries out confidentiality obligations on business secrets such as business information, technical documents and so on.
- 7. The partly duplicating of this report is prohibited without the written approver of CCIC.
- 8. The report is invalid when anything of the following happens-illegal transfer, embezzlement, imposture, modification or tampering in any media form.

Page 11 of 11

公司:中国检验认证集团江苏有限公司 电话 (Tel): +86-519-83277160 地址: 中国.常州市天宁区青洋北路 47 号

网址: www.ccicjs.com

Add: 47 Qingyang North Road, Tianning District, Changzhou, China